



**SKIPLOADERS**  
AN UNBEATABLE INVESTMENT

## Range

Hyva skiploaders are available in different versions with fixed lifting arms, telescopic arms and knuckle arms. Telescopic arms can be extended simultaneously or independently for maximum operational flexibility.

Transportation of pallets, loading platforms or flat racks up to 6 metres in length is possible with Hyva skiploaders. Fully loaded skips can be dropped over ditches, fences and hedges. And, stacking of empty skips allows more efficient multi-drop operations.

GVW (ton)	Hyva Type	Lifting capacity		System weight (lbs ±)
		retracted (ton)	extended (ton)	
7,5 to 13	NG2006	6	-	4189
	NG2006TA	6	3,9	4696
12 to 16	NG2008	8	-	4740
	NG2008TA	8	5,1	5071
16 to 22	NG2012	12	-	5886
	NG2012TAXL	12	7,5	6283
	NG2012KA	12	7,0	6614
18 to 26	NG2014	14	-	5886
	NG2014TAXL	14	8,75	6283
26 to 32	NG2018	18	-	7319
	NG2018TAXL	18	11,5	7716
	NG2018KA	18	11,0	8157

\*) "cranked arm" type



## An unbeatable investment

The Hyva range of skiploaders gives you choice, strength and proven reliability. Specified by contractors and municipal authorities throughout the world for their durability, Hyva skiploaders are manufactured to the highest quality standards and supported by an international service network.

With proven engineering back up and a comprehensive warranty system, Hyva skiploaders give excellent return on capital for years and years.



The steel platform is provided with two wearing strips in longitudinal direction. 6 adjustable container stops can be located through side steaks in the platform.



Top swivel brackets, each suitable for two chains.




Walk on protection guards, for protection of the piston rod.



All functions are operated from the side of the system, at the valve block. In-cab controls are available as an option.



Stab jacks are standard, for safe lifting and tipping of containers.



One tipping chain, length 650mm with open safety hook is mounted on the torsion tube. A second tipping chain or tipping hooks are available as an option.



The torsion casing is set on spreadable bearings.

110 countries  
+3,500 employees  
20,000 customers  
+30 subsidiaries  
14 production facilities



Hyva is a leading provider of innovative and highly efficient transport solutions for commercial vehicles used in transport, construction, mining, materials handling and environmental service industries.

Founded in 1979 in the Netherlands, the company has a global presence with more than 30 wholly owned subsidiaries, extraordinary service coverage and 14 manufacturing facilities in Brazil, China, Europe and India.

For more information on Hyva, please visit [www.hyva.com](http://www.hyva.com)

or follow us on:



**Hyva Corporation**

300 King Street,  
Elk Grove Village, Illinois 60007, USA  
Phone: +1-630-227-9020  
Fax: +1-630-227-9029  
[salesusa@hyva.com](mailto:salesusa@hyva.com)  
[www.hyva.com](http://www.hyva.com)



Quality and  
environmental certified

DEALER STAMP